

# Stability in Matching with Externalities: Pairs Competition and Oligopolistic Joint Ventures

Kenzo Imamura

# 1 Introduction

matchings might be realized by forming a pair, and showed the existence of stable matching under pessimism as in Sasaki and Toda (1996). Chen (2019) considered a specific example of Cournot oligopoly game played by joint ventures, and assumed that every potential partner for a company induces a unique consistent expectation for the realized matching. With this list of expectations for each possible pair, stable matching is defined as the outcome of this game. Chen identified conditions under which positively and negatively assortative matchings are stable.

In these papers, each player has expectations on the realization of a matching when she is partnered with each of the players on the other side of the market, and stable matching is built on these expectations. In contrast, this paper mirrors the original definition of pairwise stable matching in matching problems without externalities. Our pairwise stability starts with a matching and checks whether or not there is a pair of players with a profitable deviation away from the original matching. There is, however, a subtle issue in the presence of externalities—the rest of matching matters. Thus, we need to formulate the matching induced by the deviation of a pair from the original matching. We specify this using an effectiveness function, and consider two effectiveness functions specifically. The first is that after a deviation by a pair, the dumped partners stay single and no other player changes their partners. The second is that after a deviation by a pair, the dumped partners form a pair and all other players remain with their partners. The former effectiveness function is in the literature of theory of coalition formation, and is adopted to analyze convergence of a sequence of myopic deviations in a marriage problem by Roth and Vande Vate (1990).<sup>1</sup> The latter effectiveness function was proposed by Knuth (1976) in the context of the marriage problem in which all players are acceptable to all other players.

To see the difference between these two effectiveness functions, consider the example of a pairs figure skating competition. Suppose that there are three male and three female skaters, one with high, medium, and low ability in each gender. Moreover, suppose that there are complementarities in partners' abilities. Then, it is natural for them to have a (positively) assortative matching, since a high ability partner is always desirable. However, this assortative matching may not be pairwise stable in the Roth-Vande Vate sense. Consider a deviation by the high ability male and the



swapping. In Section 4, we consider an oligopolistic joint ventures problem, which is an assignment game version of the pairs competition model without endogenous efforts. We show that pairwise stable assignments can be supported only by the assortative matching, and characterize the one-side optimal stable assignment. In Section 5, we introduce personalized intrinsic utility from partners and heterogeneous match qualities of players, and show that pairwise stable assignment via swapping may not exist. Section 6 concludes.

## 1.1 A Brief Literature Review

There are three branches of literature that are related to the current paper. The first branch is the one of matching with externalities. Recently, a number of papers have been written in this field in addition to Sasaki and Toda (1996), Hafalir (2008), and Chen (2019). Mumcu and Saglam (2010), Fisher and Hafalir (2016), and Chade and Eeckhout (2020) all dealt with one-to-one matching problems with externalities in different ways. Mumcu and Saglam (2010) introduced outside options, and Fisher and Hafalir (2016) and Chade and Eeckhout (2020) removed the impacts of pairwise deviations through externalities by imposing a behavioral assumption and by considering a continuum of atomless agents, respectively. Bando (2012, 2014), and Pycia and



( $\phi(m) = m$ ), and if  $w$  is paired under ( $w \notin w$ ) then  $w$ 's partner ( $w$ ) is single under  
 $\phi(w) = w$ ; and (iii) for all

( $m_i \geq 2$ ), team  $i$ 's members' efforts are aggregated by a CES function

$$Y_i = (a_m e_m + a_{(m)} e_{(m)})^{\frac{1}{\sigma}}; \quad (1)$$

where



and player  $x$ 's equilibrium effort given  $Y_i$  and  $Y$  can be written as

$$e_x = Y_i (1 - \beta) \frac{1}{Y} \beta^{1-\beta} a_x^{\beta-1} V^{\frac{1}{1-\beta}} \quad (3)$$

Raising this to the power of  $\beta$  and then multiply it by  $a_x$ ,

$$a_x e_x^\beta = Y_i (1 - \beta) \frac{1}{Y} \beta^{1-\beta} a_x^{\beta-1} V^{\frac{1}{1-\beta}}$$

is obtained (the power of  $a_x$  is calculated by  $\frac{2}{1-\beta} + \beta = \frac{1}{1-\beta}$ ). Substituting this back to (1), we obtain

$$Y_i = Y_i (1 - \beta) \frac{1}{Y} \beta^{1-\beta} a_x^{\beta-1} + a_{(x)}^{\beta-1} V^{\frac{1}{1-\beta}}$$

or

$$\frac{1}{A_i(\cdot)} = \frac{Y_i}{Y^2} \beta^{\frac{1}{1-\beta}} \quad (4)$$

where  $A_i(\cdot) = a_m^{\beta-1} + a_{(m)}^{\beta-1} V^{\frac{1}{1-\beta}}$  stands for the



stable if and only if (i)  $R_m \neq \emptyset$  or  $R_w \neq \emptyset$  for any pairwise deviations  $(m; w) \in M \times W$  with  $\mu \neq \mu_{(m;w)}$ , and (ii)  $R_x \neq \emptyset$  for any single player deviation  $x \in M \cup W$  with  $\mu \neq \mu_x$ . The following example shows that there may not be a pairwise stable matching.

Example 1. Consider a figure skating contest with  $M = \{m_1; m_2; m_3\}$  and  $W = \{w_1; w_2; w_3\}$ . Let  $a_{m_1} = \frac{1}{2}$ ,  $a_{m_2} = \frac{1}{8}$ ,  $a_{m_3} = \frac{1}{4}$ ,  $a_{w_1} = 1$ ,  $a_{w_2} = \frac{1}{9}$ , and  $a_{w_3} = \frac{1}{7}$ . We calculate  $m_1$ 's payoffs under the assortative matching and the one after he deviates with  $w_2$ :

(i)  $\mu = \mu_{(m_1; w_1); (m_2; w_2); (m_3; w_3)}$ :

$$U_{m_1}(\mu) = \frac{1}{\frac{1}{2} + \frac{1}{8} + \frac{1}{4}} \left( \frac{2 \cdot \frac{1}{2}}{\frac{1}{2} + \frac{1}{8} + \frac{1}{4}} \right) = \frac{1}{\frac{1}{2} + \frac{1}{8} + \frac{1}{4}} \left( \frac{2 \cdot \frac{1}{2}}{\frac{1}{2} + \frac{1}{8} + \frac{1}{4}} \right) \cdot \frac{1}{2} = 0.31209$$

(ii)  $\mu \neq \mu_{(m_1; w_2); (m_3; w_3)}$ :

$$U_{m_1}(\mu) = \frac{1}{\frac{1}{9} + \frac{1}{4}} \left( \frac{1 \cdot \frac{1}{9}}{\frac{1}{9} + \frac{1}{4}} \right) = \frac{1}{\frac{1}{9} + \frac{1}{4}} \left( \frac{1 \cdot \frac{1}{9}}{\frac{1}{9} + \frac{1}{4}} \right) \cdot \frac{1}{9} = 0.44720$$

Thus, agent  $m_1$  is better off by dumping his higher ability partner for an inferior partner. A similar deviation blocks any other fully matched matching, and if agents are not fully matched in matching  $\mu$ , then  $\mu$  is blocked by an unmatched pair. Thus, there is no pairwise stable matching in this example.  $\square$

The problem underlying this example is that players prefer to have a smaller number of rival pairs, and the best player would rather have a weaker partner if the number of rival pairs goes down. However, since single players cannot participate in the competition, resulting in receiving the lowest payoffs, it does not make sense to expect that they will stay singles. If the single players becomes a pair, the number of rivals do not change, undermining the motivation for the best player to seek a lower ability partner. Using the second effectiveness function  $\Rightarrow_S$  allows us to define the following alternative stability concept. A matching  $\mu$  is pairwise stable via swapping if and only if (i)  $R_m \neq \emptyset$  or  $R_w \neq \emptyset$  for any pairwise deviations  $(m; w) \in M \times W$  with  $\mu \not\Rightarrow_{(m;w)}$ . In the following, we will show that the assortative matching  $\mu$  is uniquely stable in the above sense. We first prove the following lemma, which demonstrates that an assortative swapping improves higher ability players' payoffs.

Lemma 1. Let  $\dots$ ,

Now, we borrow the model from Shubik (1984) to describe our oligopolistic market.<sup>7</sup> Suppose that there are  $n$  products produced by  $n$  active joint ventures together with a numeraire commodity (the 0th commodity). There is unit mass of identical consumers, each with a quadratic utility function:

$$u = \sum_{i=1}^n x_i - \frac{1}{2} \sum_{i=1}^n x_i^2 - \frac{\alpha}{2} \sum_{j=1}^n \sum_{k=1}^n x_k x_j + x_0; \quad (5)$$

where  $\alpha \in [0; 1)$  is a substitution parameter between products. As  $\alpha$  increases, substitutability





By Lemmas 3 and 4, we know that  $X$  is strictly supermodular and strictly increasing. The following proposition shows that there are pairwise stable assignments, and characterizes the M-optimal pairwise stable matching by using the above output matrix  $X$ .<sup>8</sup>

Proposition 5. In an oligopolistic joint venture model, there exist pairwise stable assignments. Under the M-optimal pairwise stable assignment, the pairwise stable payoff vector for  $W$  is minimized at  $s = (s_1; \dots; s_n)$  where  $s_j = \prod_{j'=j}^{n-1} (X_{j'+1j'} - X_{j'+1j'+1})$  for any  $j = n-1$  and  $s_n = 0$ , and the stable payoff vector for  $M$  is calculated by  $r_j = X_{jj} - s_j$ .

Bulow and Levin (2006) derived the above simple "minimum competitive salary" formula in the context of firm-worker matching problem with output function  $X_{ij} = a_i - a_j$  (thus with





(ii)  $^2 = f(m_1; w_1); (m_2; w_3); (m_3; w_2)g$ :  $U_{m_1}(^2) = U_{w_1}(^2) = 0:384$ ;  $U_{m_2}(^2) = U_{w_2}(^2) = 0:131$ ;  $U_{m_3}(^2) = U_{w_3}(^2) = 0:174$ .

(iii)  $^3 = f(m_1; w_3); (m_2; w_1); (m_3; w_2)g$ :  $U_{m_1}(^3) = 0:183$ ;  $U_{m_2}(^3) = 0:332$ ;  $U_{m_3}(^3) = 0:160$ ;  $U_{w_1}(^3) = 0:305$ ;  $U_{w_2}(^3) = 0:119$ ;  $U_{w_3}(^3) = 0:257$ .



In this case, the structure of the problem are the same as the original oligopolistic joint ventures, so our solution concept, the pairwise stable assignment via swapping, is well defined. However, with an arbitrary match quality matrix  $Q$ , a pairwise stable assignment via swapping may not exist. This is because we can create an arbitrary matrix of the marginal cost of each joint venture,  $C = (c(m_i; w_j))_{i,j=1,\dots,n}$  by freely choosing  $Q$ . The following example demonstrates this result.

Example 3. Let  $M = \{m_1; m_2; m_3\}$  and  $W = \{w_1; w_2; w_3\}$  with

$$C = \begin{matrix} & \begin{matrix} w_1 & w_2 & w_3 \end{matrix} \\ \begin{matrix} m_1 \\ m_2 \\ m_3 \end{matrix} & \begin{matrix} 0:1 & 0:11 & 0:3 \\ 0:3 & 0:1 & 0:3 \\ 0:3 & 0:3 & 0:3 \end{matrix} \end{matrix}$$

There are six full matchings:

- (i)  $m_1(w_1) = w_1; m_2(w_2) = w_2; m_3(w_3) = w_3; (m_1; w_2)$  deviates to create  $m_2$ .
- (ii)  $m_2(w_1) = w_2; m_2(w_2) = w_1; m_3(w_3) = w_3; (m_2; w_3)$  deviates to create  $m_3$ .
- (iii)  $m_3(w_1) = w_2; m_3(w_2) = w_3; m_3(w_3) = w_1; (m_1; w_1)$  deviates to create  $m_4$ .

Proposition 7. In the oligopolistic competition by joint ventures model, there exists a pairwise stable matching via swapping if  $\alpha = 0$  (no externalities: local monopoly).

## 6 Concluding Remarks

This implies that  $Y_i$  is

$$Y_i = \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} V$$

These results lead to the following formulas that are essential for the analysis of stability of team structure. Recalling (3), we obtain

$$\begin{aligned} e_x &= Y_i (1 - \beta_i) \frac{1}{Y} a_x^{1-\beta} V^{\beta} \\ &= \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} a_x^{1-\beta} V^{\beta} \\ &= \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{a_x}{A_i(\cdot)} V^{\beta} \end{aligned}$$

This implies that agent  $i$ 's payoff is written as

$$\begin{aligned} U_x &= \beta_i V e_x \\ &= \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} V \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{a_x}{A_i(\cdot)} V^{\beta} \\ &= \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{1}{V} \frac{\prod_{j=1}^n \frac{1}{A_j(\cdot)}}{\prod_{j=1}^n \frac{1}{A_j(\cdot)}} \frac{a_x}{A_i(\cdot)} V^{\beta} \end{aligned}$$

In order to show that Regularity Condition 1 assures  $\beta_i > 0$  for all  $i = 1; \dots; n$ , we use Lemma 1 (i) below. Repeatedly applying Lemma 1 (i), it is easy to see  $\prod_{j=1}^n \frac{1}{A_j(\cdot)}$  for all  $\cdot$ . Moreover,  $A_n(\cdot) = A_i(\cdot)$  for all  $\cdot$ . Thus, if the Regularity condition is satisfied, then  $\beta_i(\cdot) > 0$  for all  $\cdot$  and all  $i = 1; \dots; n$ . We have completed the proof.  $\square$

Proof of Lemma 1. Let  $A_j(\cdot) = a(m_j)^{1-\beta} + a((m_j))^{1-\beta}$

Thus,

$$\begin{aligned} & \frac{1}{A(\cdot) + \sim^{\frac{1-}{}}} + \frac{1}{A_k(\cdot) \sim^{\frac{1-}{}}} \quad \frac{1}{A(\cdot)} \quad \frac{1}{A_k(\cdot)} \\ = & A(\cdot) + \sim^{\frac{1-}{}} \quad A(\cdot)^{\frac{1-}{}} + A_k(\cdot) \sim^{\frac{1-}{}} \quad A_k(\cdot)^{\frac{1-}{}} \end{aligned}$$

Summing up over commodities produces:

$$\sum_{j=1}^n x_j = \sum_{j=1}^n p_j;$$

or

$$x_j = \frac{1}{1+n} (n P);$$

where  $P = \sum_{j=1}^n p_j$ . Substituting this back to the f.o.c., we obtain:

$$x_i = \frac{1}{1+n} (n P) = p_i;$$

or

$$x_i = x_i(p_i; P) = p_i = \frac{1}{1+n} (n P);$$

Thus, the market demand function for good  $i$  is:

$$x_i(p_i; P) = \frac{1}{1+n} + \frac{1}{1+n} P = p_i;$$

We have completed the proof. ■

Proof of Proposition 3. The firm  $i$ 's f.o.c. with respect to  $p_i$  is:

$$\frac{1}{1+n} + \frac{1}{1+n} P - p_i + (p_i - c_i) \frac{1}{1+n} = 0;$$

or

$$1 + \frac{1 + (n-1)}{1+n} p_i = \frac{1}{1+n} + \frac{1}{1+n} P + \frac{1 + (n-1)}{1+n} c_i$$

or

$$\frac{2 + (2n-1)}{1+n} p_i = \frac{1}{1+n} + \frac{1}{1+n} P + \frac{1 + (n-1)}{1+n} c_i$$

$$p_i = \frac{1}{2 + (2n-1)} + \frac{1}{2 + (2n-1)} P + \frac{1 + (n-1)}{2 + (2n-1)} c_i$$

Summing them up, we have

$$P = \frac{n}{2 + (2n-1)} + \frac{n}{2 + (2n-1)} P + \frac{1 + (n-1)}{2 + (2n-1)} \sum_{j=1}^n c_j;$$

Thus,

$$\frac{2 + (n-1)}{2 + (2n-1)} P = \frac{n}{2 + (2n-1)} + \frac{1 + (n-1)}{2 + (2n-1)} \sum_{i=1}^n c_i;$$



or

$$P = \frac{n}{2 + (n-1)} + \frac{1 + (n-1)}{2 + (n-1)} \prod_{j=1}^n c_j$$

Substituting this into the formula for  $p_i$ , we obtain

$$\begin{aligned} p_i &= \frac{n}{2 + (2n-1)} + \frac{1 + (n-1)}{2 + (2n-1)} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \\ &= \frac{n}{2 + (2n-1)} + \frac{1 + (n-1)}{2 + (2n-1)} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \\ &= \frac{n}{2 + (2n-1)} + \frac{(1 + (n-1))}{(2 + (2n-1))(2 + (n-1))} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \end{aligned}$$

Thus, in equilibrium,  $x_i$  is

$$\begin{aligned} x_i &= \frac{1}{1+n} + \frac{1}{1+n} P p_i \\ &= \frac{1}{1+n} + \frac{1}{1+n} \left[ \frac{n}{2 + (n-1)} + \frac{1 + (n-1)}{2 + (n-1)} \prod_{j=1}^n c_j \right. \\ &\quad \left. + \frac{(1 + (n-1))}{(2 + (2n-1))(2 + (n-1))} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \right] \\ &= \frac{f(2 + (n-1)) + n(1+n)g}{(1+n)(2 + (n-1))} \\ &\quad + \frac{f(2 + (2n-1))(1 + (n-1)) + (1+n)(1 + (n-1))g}{(1+n)(2 + (2n-1))(2 + (n-1))} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \\ &= \frac{1 + (n-1)}{1+n} \left[ \frac{n}{2 + (n-1)} + \frac{(1 + (n-1))}{(2 + (2n-1))(2 + (n-1))} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \right] \end{aligned}$$

Then, firm  $i$ 's equilibrium profit is

$$y_i(\cdot) = \frac{1 + (n-1)}{1+n} \left[ \frac{n}{2 + (n-1)} + \frac{(1 + (n-1))}{(2 + (2n-1))(2 + (n-1))} \prod_{j=1}^n c_j + \frac{1 + (n-1)}{2 + (2n-1)} c_i \right]$$

From the submodularity of  $f(a_m; a_w)$ ,  $\prod_{i=1}^n c(m_i; w_i) = \min_{2M} \prod_{i=1}^n c(m_i; (m_i))$  holds. Thus, Regularity Condition 2 assures that the contents of the parenthesis is positive and  $x_i > 0$  holds for all  $i = 1, \dots, n$ . ■

Proof of Lemma 3. It is easy to see  $f(m; a_w) - f(a_{m'}; a_w) - f(a_m; a_{w'}) + f(a_{m'}; a_{w'}) < 0$ , since  $a_m > a_{m'}$  and  $a_w > a_{w'}$ , and  $\frac{\partial f}{\partial a} < 0$ ,  $\frac{\partial f}{\partial a} < 0$ , and  $\frac{\partial^2 f}{\partial a^2} > 0$ . Thus,  $c(m; w) + c(m^0; w^0)$

$c(m; w^0) + c(m^0; w)$  holds. By letting  $w = c(m^0; w) - c(m; w) > 0$  and  $w' = c(m^0; w^0) - c(m; w^0) > 0$ , we have  $w = w' = 0$



$s_{n-2}^0 < X_{n-1n-2} (X_{n-1n-1} (X_{nn-1} X_{nn}))$ . From the previous step, we know  $s_{n-1}^0 = s_{n-1}$ , and thus  $s_{n-1}^0 + X_{n-1n-1} s_{n-1} = X_{n-1n-1} (X_{nn-1} X_{nn})$ . Thus, we have

$$\begin{aligned} s_{n-2}^0 + r_{n-1}^0 &< X_{n-1n-2} (X_{n-1n-1} (X_{nn-1} X_{nn})) + X_{n-1n-1} (X_{nn-1} X_{nn}) \\ &= X_{n-1n-2} \end{aligned}$$

This violates the stability, and contradicts with  $s^0$  being a competitive salary. Thus  $s_{n-2}^0 = s_{n-2}$ . Repeated applications of the same logic conclude that any competitive salary vector  $s^0$  satisfies  $s^0 = s$ . ■

## References

- [1] Bando, K. (2012), Many-to-One Matching Markets with Externalities among Firms. *Journal of Mathematical Economics* 48.1, 14-20.
- [2] Bando, K. (2014), A Modified Deferred Acceptance Algorithm for Many-to-One Matching Markets with Externalities among Firms. *Journal of Mathematical Economics* 52, 173-181.
- [3] Banerjee, S., H. Konishi, and T. Sonmez (2001), Simple Coalition Formation Games, *Social Choice and Welfare* 18, 135-153.
- [4] Becker, G.S., (1973), A Theory of Marriage I., *Journal of Political Economy* 81-4, 813-846.
- [5] Bloch, F., (1996), Sequences of Matchings and the Stability of a Many-to-One Matching Market. *Journal of Economic Theory* 71, 315-341.



[21] Herings, P.J.J., A. Mauleon, and V.J. Vannetelbosch (2020), Matching with Myopic and Farsighted Players, *Journal of Economic Theory* 190, 105-125.

[22] Imamura, K., and H. Konishi, Assortative Matching with Externalities and Farsighted Players, in progress.

[23] Kimya, M. (2021), Farsighted Objections and Maximality in One-to-one Matching Problems, University of Sydney.

[24] Knuth, D.E., (1976), *Marriages Stables*, Montreal: Les Presses de l'Universite de Montreal.

[25] Kojima, F., and U. Unver, (2008), Random paths to pairwise stability in many-to-many matching problems: a study on market equilibration, *International Journal of Game Theory* 36 (3), 473-488

[26]

Fa10(n)12(o)17(ep6(e)9(m)17(s)8(,)17(s)9(e)9(r))11(k)39(e9(i)6(e)9(s)-307(a)119)-315(p)11(r)6(,)4ry  
eronomic ThB6(t)e1(s)-451a387,v6(l)6(i)erd Frr10(s)8(,)a11(i)6(s)8(h)ziona90,,JoM310(]7]TJ10(8311(

- [33] Mumcu, A., and I. Saglam (2010), Stable One-to-One Matchings with Externalities. *Mathematical Social Sciences* 60.2, 154-159.
- [34] Nitzan, S. (1991), Collective Rent Dissipation, *Economic Journal* 101, 1522-1534.
- [35] Pycia, M., and M.B. Yenmez (2021), Matching with Externalities, University of Zurich, Department of Economics, Working Paper 392.
- [36] Ray, D., and R. Vohra (1999), A Theory of Endogenous Coalition Structures, *Games and Economic Behavior* 26, 286-336.
- [37] Ray, D. (2008), *A Game-Theoretic Perspective on Coalition Formation*, Oxford University Press, Oxford.
- [38] Ray, D., and R. Vohra (2014), "Coalition Formation," *Handbook of Game Theory* vol. 4, 239-326.
- [39] Rosenthal, R.W., (1972), Cooperative games in effectiveness form, *Journal of Economic Theory* 5, 88-101.
- [40] Sanchez-Pages, S. (2007a), Endogenous Coalition Formation in Contests, *Review of Economic Design* 11, 139-63.
- [41]

- [46] Tullock, G., (1980), "Efficient Rent Seeking," Buchanan, J.M., Tollison, R.D., Tullock, G. (Eds.), *Toward a Theory of the Rent-Seeking Society*, Texas A&M University Press, College Station, TX, pp. 97-112.
- [47] Yi, S.-S. (1997), *Stable Coalition Structures with Externalities*, *Games and Economic Behavior*, 20(2), pp.201-237.