Endogenous Alliances in Survival Contests*

Hideo Konishi Chen-Yu Pan

March 6, 2021

Abstract

Esteban and Sakovics (2003) showed in their three-person game that an

the members' rents, even if the alliance wins the rst race. Because of this *rent-dissipation* e ect, the members of the alliance have lower valuations for winning in the rst race, reducing their e orts and the winning probability. Second, even without the rent-dissipation problem, e.g., if the winning prize is shared equally, there are still *free-riding* incentives for the alliance members to reduce e orts and, consequently, the winning probability. As a result, they conclude that it is hard to materialize strategic alliances in a Tullock contest model.¹ Konrad (2009) points out that these disincentives are not speci c to Tullock contest models | they also appear in rst price all-pay auctions.²

However, in the real world, forming alliances in competition is ubiquitous | for example, in research and development activities, and nations in con-icts. In this paper, we provide a simple solution for this alliance paradox by using complementarity in e orts in a general but symmetric *N*-person game.³ To analyze complementarity, we introduce a simple and tractable CES e ort aggregator function to translate alliance members' individual e orts into the alliance's joint e ort. We assume that each individual member's marginal e ort cost is constant in order to limit the bene ts of forming an alliance to e ort complementarity only.⁴ With strong complementarity in e orts, a larger alliance has the e ort advantage relative to a smaller one. Although there are aforementioned disincentives, it makes sense to form an alliance as long as the bene ts from complementarity exceed the costs. The complementarity parameter in the CES aggregator provides a simple measure of the strength of incentive to form alliances as its value increases from 0 to $1.^5$

¹Konrad (2004) considers an asymmetric all-pay auction game with exogenously determined hierarchical tournament structure, and shows that the highest valuation player may not have a chance to become the nal winner depending on the hierarchical structure.

²

We are not the rst to present this idea. Following Cornes (1993) and Cornes and Hartley (2007) in the literature of private provision of public goods, Kolmar and Rommeswinkel (2013) and Choi, Chowdhury, and Kim (2016) have already demonstrated the presence of such incentives in alliance formation (see next section). This paper goes one step further. Since players' payo s are related to the whole alliance structure, it is important to know how other players react to the alliance structure and whether or not the alliance structure could be stable. Therefore, we need to see players' and alliances' strategic interactions, and what happens in equilibrium: in particular, we ask whether or not there exists an equilibrium alliance structure.

We set up a simple alliance (coalition) formation game with multiple stages. In stage 1, players form alliances. In stage 2, alliances compete with each other, and in stage 3, the winning alliance members compete with each other for the indivisible prize. The solution concept is the standard subgame perfect Nash equilibrium. Two things should be noted. First, we model the alliance formation process as an \open-membership" game (Yi 1997) in which players can freely choose their alliance without being excluded.⁶ This setup can be motivated by examples of geographical concentrations of specialized retails stores such as car dealers (auto rows). In big cities in the United States, car dealers tend to collocate to form auto rows, despite that they must compete with each other, and that they can choose to stand alone in a di erent location. Consumers are attracted by auto rows since they can india wide variety of cars at competitive prices, and stand-alone dealers have a hard time surviving.⁷ The prosperity of an auto row depends on the number of retail stores and each store's e orts.⁸ Car dealers choose their locations freely, knowing that big auto rows attract many customers, but that the dealers there must face erce competition with neighboring dealers.⁹ Second, given the way we set up the multi-stage game, a singleton-only alliance structure and a grand alliance structure are practically identical, since the former does not have the third stage competition, and the latter does

⁶In a companion paper, Konishi and Pan (2020), we consider a sequential alliance formation game a la Bloch (1996), and compare the resulting alliance structures (see Conclusion section).

⁷See Konishi (2005) for a mechanism of the emergence of concentration of retail stores.

⁹Another possible example is competing technologies that have network externalities: A classic instance is the videotape format war between VHS by JVC and Betamax by Sony in the late 1970s. Japanese electric appliance companies chose one of these two technologies (JVC, Panasonic, and RCA for the former, and Sony, Toshiba, and Sanyo for the latter), but VHS won the market against Betamax. The market competition took place among the winning technology adopters.

cost. We can interpret these results that an increase in complementarity within groups intensi es group competition.

⁸Note that a Tullock contest success function is identical to consumers' logit demand function in a discrete choice model.

not have the second stage competition. The outcome of these two alliance structures

1.1 Literature Review

nously formed groups using a CES e ort-aggregator function when group-members *have heterogeneous abilities.* Assuming that the winning prize is enjoyed by all members of a winning team as a public good, they analyze how e ort complementarity a ects members' e orts. They nd that the complementarity parameter has no e ect on equilibrium e orts if groups are homogeneous. If groups are heterogeneous, then the divergence of e orts among group-members and, somewhat surprisingly, the winning probability decreases as the complementarity of e orts goes up, contradicting common intuitions that complementarity of e orts solves the free-riding problem.

tion games, including a sequential coalition formation game in Bloch (1996), Okada (1996), and Ray and Vohra (2001). Sanchez-Pages (2007a) explores di erent types of stability concepts, including sequential coalition formation games in alliance formation in contests where e orts are perfect substitutes. Sanchez-Pages (2007b) considers various stability concepts in a model where players allocate endowment into productive and exploitative activities. These papers assume the award is divisible, and alliance members can write a binding contract of sharing rule in the case of the alliance's winning. In our paper, we do not allow for any side payment, and players cannot credibly commit to any intra-alliance distribution rule as in Esteban and Sakovics (2003). We only focus on the bene ts of forming a larger group through complementarity of e ort and analyze the endogenous formation of alliances in Tullock contests.

2 The Model

There are *N* players who seek to get an indivisible prize (say, to be the head of an organization). There is no side payment allowed. The set of players is also denoted by $N = f_{1}; ...; Ng_{i}$, and they can form alliances exclusively for the purpose of being the nal winner. Each player $i \ge N$ can make an e ort to enhance the popularity of her alliance and that of herself. We assume that each player has an identical linear cost function $C(e_i) = e_i$ for all $e_i = 0$.

Starting from the inter-alliance contest, we introduce potential bene ts for players who belong to an alliance | complementarity in aggregating e orts by all alliance members. That is, if player *i* belongs to alliance *j* with N_j N as the set of members, and these members make e orts $(e_{hj})_{h2N_j}$, then the aggregated e ort of alliance *j*, E_j , is described by a CES aggregator function

 $E_j =$

Stage 1. All players i 2

Proposition 1. Suppose that the winning alliance of the rst stage has size n_j . Then, the third-stage equilibrium strategy and payo are

$$\hat{e}_i = \frac{n_j - 1}{n_j^2}$$
 and $\forall^j = \frac{1}{n_j} - 1 - \frac{n_j - 1}{n_j} = \frac{1}{n_j^2}$:

3.2 Stage 2: Contest between Alliances

Consider an inter-alliance contest problem. From Proposition 1, we know that for a given size of alliance n_j the payo of intra-alliance contest is determined by $V_j = \frac{1}{n_j^2}$. Thus, the second stage maximization problem of a player *ij* in alliance *j* is to maximize the payo

$$V_{ij} = \frac{e_{ij}^{1 \sigma} + \frac{P_{h \notin i} e_{hj}^{1 \sigma}}{e_{ij}^{1 \sigma} + \frac{P_{h \notin i} e_{hj}^{1 \sigma}}{h \notin i} e_{hj}^{1 \sigma}} V_{j} e_{ij}$$

$$= \frac{e_{ij}^{1 \sigma} + \frac{P_{h \notin i} e_{hj}^{1 \sigma}}{e_{ij}^{1 \sigma} + \frac{P_{h \notin i} e_{hj}^{1 \sigma}}{h \notin i} e_{hj}^{1 \sigma}} \frac{1}{1} e_{ij} e_{ij} E_{j0}}{e_{ij}^{1 \sigma} + \frac{P_{h \notin i} e_{hj}^{1 \sigma}}{h \notin i} e_{hj}^{1 \sigma}} e_{ij} E_{j0}} V_{j} e_{ij} E_{j0}$$

The rst-order condition with respect to e_{ij} (if an interior solution) is

$$\mathsf{P}_{j^{\scriptscriptstyle 0}} E_{j^{\scriptscriptstyle 0}} \quad E_j$$

or

Let $X_{j} = \bigcap_{j^{0} \notin j} x_{j^{0}}$. Then, $x_{j} > 0$ is a unique best response to X





There is $j \ 2 \ f_1; ...; Jg$ such that $p_j = s_j(X) > 0$ (active alliance) for all $j \ j$ ($\hat{X}_j > X$), while $p_j = s_j(X)$

as increases, we consider three values of in order: $=\frac{1}{2}$ (weak complementarity), $\frac{3}{4}$ (moderate complementarity), and $\frac{4}{5}$ (strong complementarity). We investigate how alliance structure is a ected by the complementarity of team e orts.

4.1 Weak Complementarity $=\frac{1}{2}$

In this case, we have $\frac{2}{1}\frac{3\sigma}{\sigma} = 1$ and $\frac{1}{1}\frac{2\sigma}{\sigma} = 0$. Using Theorem 1, we know the following:

U

4.4 Observations

The above examples show that when is small, there is no gravity to sustain an alliance, since the e ort complementarity is not su cient enough to compensate Olson's ine ciency of alliances.¹³ In this case, players prefer standing alone and competing with other single players and/or alliances. In contrast, if is large, a larger alliance is always relatively more attractive than a smaller alliance, resulting in the grand alliance. When is in the middle range, nontrivial alliances can appear and Pareto-dominate trivial allocation. For nontrivial equilibria, the complementarity is strong enough to make a singleton player unpro table. At the same time, it is not strong enough that players prefer a smaller group to avoid severe competition in the nal stage. These two forces jointly ensure stability. We will show that this is not a coincidence.

5 Two Competing Alliances

We start with the case where the number of (active) alliances is two. We rst show

a unique two-alliance equilibrium in which the maximal di erence in sizes is one. Denoting $t = \frac{3\sigma}{1-\sigma}^2$, we have the following result.

Theorem 2.



Figure 2: No Spin-O Conditions.

The following theorem shows an important welfare implication of having a chance to form alliances. The emergence of alliances in subgame perfect equilibrium is not only an equilibrium phenomenon (like prisoners' dilemma games), but also a Paretoimprovement for players' welfare, because it has dynamic contests instead of a single round contest.

Theorem 3. Every two-alliance equilibrium fn_1 ; n_2g with $jn_1 \quad n_2j \quad 1$ Paretodominates a no-alliance contest outcome.

5.1 Multi-Alliance Case

Is a symmetric alliance structure, i.e., all alliances are of the same size, stable when J > 2? First of all, forming multiple alliances may be welfare-improving. In fact, if the alliances are symmetric, players' welfare improves as the number of alliances increases. Formally,

Proposition 3. Let symmetric alliance structure $_J$ be a structure that has $\frac{N}{J}$ 2 players in each alliance. If $_{J^0}$ and $_{J^{00}}$ with $J^{00} > J^0$ are both equilibrium alliance structures, then $_{J^{00}}$ Pareto dominates $_{J^0}$.

However, the remaining question is whether a multi-alliance structure is stable or not. The bene t from forming a larger alliance is that the new alliance has a higher winning probability in the inter-alliance contest. However, this e ect is o set by a stronger intra-alliance competition in the third stage. This winning-probabilityenhancement e ect is stronger if each alliance only has a smaller number of members and is weaker if the number of alliances is larger. Thus, we expect that, when the number of alliances is more than two, it requires a larger membership in each alliance to be a symmetric equilibrium allocation. This intuition leads us to the following example.

Example 1. Consider the case when J = 3, n = 7 or 8, and $= \frac{3}{4}$

u(7; f7; 7; 7g) = 0.0061548 < u(8; f8; 6; 7g) = 0.0061581u(8; f8; 8; 8g) = 0.0047743 > u(9; f9; 7; 8g) = 0.0047736

The above example shows that even when the complementarity between players is moderate, a symmetric three-alliance structure is not immune to a unilateral move if n = 7. But, a larger membership (n = 8) again guarantees stability. In fact, $= \frac{3}{4}$ is the borderline case for No Symmetry Breaking when J = 3, as will be seen in Corollary 1.

Proposition 2 says that there is no stable two-alliance structure if $\frac{2}{2}$

Note that $u(1; ^{0}) > u(n;)$ holds for all n = 2 and all J = 4; i.e., there exist spin-o incentives, and cannot be a subgame perfect equilibrium outcome. However, when J = 5 and n = 2, $u(1; ^{0}) = \frac{1}{36}$ and $u(2;) = \frac{1}{4}\frac{1}{25}(5 = \frac{4}{2}) = \frac{3}{100} > \frac{1}{36}$, no player has incentives to spin o and form a singleton alliance. Moreover, since the size of an alliance has no e ect when $= \frac{2}{3}$, the payo of deviating from a two-player alliance and forming a three-player alliance is $\frac{1}{9}\frac{1}{52}$ $5 = \frac{4}{3} < \frac{3}{100}$. Therefore, f2; 2; 2; 2; 2g is in fact a stable structure. Since payo s are continuous in , this example can be extended to those s that are close to but smaller than $\frac{2}{3}$.

Finally, the following proposition assures that for any number of alliances J = 2, there is a spin-o incentive for every player who belongs to an alliance, if is small enough.

Proposition 4. Suppose that $\frac{1}{2}$. Then, from any alliance structure with a non-singleton alliance, there is a player with an incentive to spin-o to form a singleton alliance.

Example 1 seems to imply that players have stronger incentives to join a larger group when there are more alliances, and the parameter space for a stable symmetric alliance structure shrinks as the number of alliances increases as a result. In the following section, we analytically con rm this intuition using a heuristic approach that approximates the case with large alliances.

6 Symmetric Alliance Structure with Large Population

In the previous section, we analyzed equilibrium conditions by nding the parameter ranges that discourage forming a larger alliance and satisfy No Spin-O conditions. In this section, we will try to interpret these conditions in the case of a large population, and thus large alliance sizes. We also generalize our analysis by allowing for di erent continuation games to observe the relevance of continuation payo s on the equilibrium alliance structure. Consider the following generalization of Stage 3: After team *j* wins the inter-alliance competition, the winner of the subsequent interalliance competition gets a fraction *q* as a *private* reward. The remaining fraction (1 *q*) is the *public* reward enjoyed by all members on the winning team (Esteban and Ray 2001). Note that if q = 1, this corresponds to the original setup. If q = 0, then there is no Stage 3 competition. If 0 < q < 1, it is the *mixed* reward case.

We will show that the generalized model above is equivalent to parameterize the expected continuation payo for team j's victory as $V(n_i) = 1 = n_i^{\delta}$.

Lemma 2. When the fraction of private reward is $q \ge [0;1]$, the continuation payo is uniquely written as

$$V(n_j) = \frac{1}{n_j^{\delta}}$$

where = $\ln q n_j^2 + (1 - q) = \ln n_j$.

That is, if the continuation game is a simple Tullock contest q = 1 (private prize), = 2 holds. If = 1, this means an equal sharing of V = 1 without further rent dissipation, and if 1 < < 2, it can be interpreted as a case *partial rent dissipation within the winning alliance*. If = 0 or q = 0, this is the public reward case. A slight modi cation of Theorem 1 covers all of these cases:¹⁵

Theorem 1'. Suppose that, in the winning size n_j alliance the member's subsequent payo is $V(n_j) = \frac{1}{n_j}$. There exists a unique equilibrium in the second stage game for any partition of players $fn_1; ...; n_J g$ characterized by the share function s(X) = 1 and a unique j J such that players in alliance j j obtain payo

$$u_j = \frac{1}{n_j^{\delta}} \overset{2}{4} 1 \quad (J \quad 1) \qquad n^{\delta}$$

large populations. With the rst-order approximation, we can show that u_j does not increase with such a move if and only if $\frac{\sigma}{1-\sigma} = \frac{J}{J-1}$. 9



Figure 3: :



Figure 4: The stability of a symmetric three-alliance structure.

If = 1 and J = 2, then the limit conditions (i) and (ii) in Proposition 5 become $\frac{1}{2}$ $\frac{2}{3}$, so smaller values of achieve stable alliance structures. If the rent dissipation in stage 3 is milder than the simple Tullock contest, such as partial prize sharing (1 < < 2) with J = 2, then the values of for stability are somewhere in between.

For each value of , the values of that support the stability of J symmetric alliance structure are $\frac{\delta}{1+\delta} < -\frac{\delta}{1+\delta-\frac{1}{J}}$. Thus, as J goes up, the parameter range of for stable alliance structures shrinks, although players' expected payo s increase.

7 Concluding Remarks

In this paper, we used a CES e ort aggregator function to describe incentives to form alliances by e ort complementarity, and we show that there exist stable alliances in an *open-membership* two-stage alliance formation game when the e ort complementarity

is moderately strong. When complementarity is too strong, alliances become too attractive, and all players end up forming a grand alliance, which simply defers the noncooperative contest by one period.

There are alternative alliance formation games in the literature (see Hart and Kurz 1983). Using a noncooperative game approach, Bloch (1996), Okada (1996),

- [17] Hart, S., and M. Kurz (1983): \Endogenous Formation of Coalitions," *Econometrica* 51(4), 1047-1064.
- [18] Herbst, L., K.A. Konrad, and F. Morath (2015): \Endogenous Group Formation in Experimental Contests," *European Economic Review* 74, 163-189.

Appendix A (Proofs)

Proof of Theorem 1. The arti cial game we constructed has the same rst-order conditions as the original rst-stage game. This implies that j is uniquely de ned, as in the statement of Lemma 1, only j = 1; ...; j exert e orts in equilibrium. Since $p_j = 1$

Therefore, the equilibrium payo of the original problem is

$$u_{j} = \underbrace{p_{j}}_{2^{j}} \bigvee_{j} e_{j} \qquad 3 \qquad 2 \qquad 2$$
$$= 41 \quad (j \qquad 1) \frac{n_{j}^{\frac{2}{3}}}{\Pr_{j^{\theta}=1}^{j} n_{j^{\theta}}^{\frac{2}{3}}} 5 \frac{1}{n_{j}^{2}} - 4\frac{1}{n_{j}^{\frac{1}{1}}} 41 \quad (j \qquad 1)$$

We will compare $u(n_1 + 1; \)$ with $u(n_2; \)$.

$$= \frac{1}{(n_{1}+1)^{2} + (n_{2}-1)^{2}} \frac{(n_{1}+1)^{2} + (n_{2}-1)^{2} (n_{2}-1)^{2} (n_{1}+1)^{-1}}{(n_{1}+1)^{2} + (n_{2}-1)^{2}} \frac{1}{(n_{1}+1)^{2} + (n_{2}-1)^{2}} \frac{1}{(n_{1}^{2} + n_{2}^{2})^{2}} \frac{1}{(n_{1}^{2} + n_{2}^{2})^$$

0, [] > 0 holds. Rewriting this, we have

$$\begin{array}{rcl} 4n_2^6 & 4n_2^5 + 12n_1^3 & 12n_1^2n_2 & 4n_2^3 + 4n_1^2 \\ = & 4 & n_2^6 & n_2^5 + 3n_1^2(n_1 & n_2) & n_2^3 + n_2^2 & n_2^2 + n_1^2 \\ = & 4 & n_2^6 & n_2^5 & n_2^3 + n_2^2 + 3n_1^2(n_1 & n_2) + (n_1 & n_2)(n_1 + n_2) \\ = & 4 & n_2^2(n_2 & 1)^2 & n_2^2 + n_2 + 1 & + 3n_1^2(n_1 & n_2) + (n_1 & n_2)(n_1 + n_2) > 0 \\ \end{array}$$

We have completed the proof.

Next, we argue that $u(n_1 + 1; \) = u(n_2; \) > 0; g_{17}(a) 2Ne(h) 31(v) 27(e)] TJ - .7947 Td [(4)] TJ.$

o . Formally,

Lemma A3. For any two-alliance structure $= (n_1; n_2)$ with $n_1 = n_2$ 2, it is bene cial to spin o from the larger group whenever $\frac{2}{3}$.

Proof. Note that the payo in the size- n_1 group is

$$u(n_{1};) = \frac{1}{n_{1}^{2}} - \frac{n_{1}^{t}}{n_{1}^{t} + n_{2}^{t}} - \frac{n_{1}^{t} + n_{2}^{t}}{n_{1}^{t} + n_{2}^{t}} - \frac{n_{1}^{t} + n_{2}^{t}}{n_{1}^{t} + n_{2}^{t}} - \frac{1}{n_{1}^{t} + n_{2}^{t}} - \frac{1}{n_{1}^{t}$$

Let $^{\varnothing} = (1; n_1 \quad 1; n_2)$: Then we have

$$U(1; \ \) = \ \ \frac{(n_1 \ 1)^t + n_2^t}{(n_1 \ 1)^t + n_2^t + (n_1 \ 1) n_2^t}^2 \ \ :$$

Note that

$$2 \frac{(n_{1} \quad 1)^{t} + n_{2}^{t} \quad (n_{1} \quad 1)^{t} n_{2}^{t}}{(n_{1} \quad 1)^{t} + n_{2}^{t} + (n_{1} \quad 1) n_{2}^{t}} \frac{n_{1}^{t}}{n_{1}^{t} + n_{2}^{t}}$$

$$= \frac{n_{1}^{t} (n_{1} \quad 1)^{t} + 2 n_{2}^{t} (n_{1} \quad 1)^{t} + 2 n_{2}^{2t} \quad 2 n_{2}^{2t} (n_{1} \quad 1)^{t} + n_{1}^{t} n_{2}^{t} \quad 3 n_{1}^{t} n_{2}^{t} (n_{1} \quad 1)^{t}}{n_{2}^{t} + n_{2}^{t} (n_{1} \quad 1)^{t} + (n_{1} \quad 1)^{t} \quad (n_{1}^{t} + n_{2}^{t})}$$

$$>0:$$

The last inequality holds because $(n_1 \quad 1)^t \quad 1$ whenever n_1

Lemma A4. When J = 2, there is $2\left(\frac{3}{4}; \frac{4}{5}\right)$ such that for all $2\left(\frac{2}{3}; \right)$, the following statements hold: (i) Players in the smaller alliance do not have an incentive to move to a larger alliance. (ii) When alliance sizes are equal, players do not move to create a larger alliance. (iii) Players in a larger alliance have an incentive to move to the smaller one.

Proof of Lemma A4. Consider $= (n_1; n_2)$ and $^{\ell} = (n_1 + 1; n_2 - 1)$ with $n_1 = n_2 - 2$. All three statements above are equivalent to

$$\frac{u(n_1 + 1; \ell)}{u(n_2; \ell)} < 1;$$

Suppose there is a such that at $= \frac{u(n_1+1,\pi^0)}{u(n_2,\pi)} < 1$. By Lemma A1 and A2, we know that (a) $< \frac{4}{5}$ and (b) $\frac{u(n_1+1,\pi^0)}{u(n_2,\pi)} < 1$ holds for all with $\frac{2}{3} < < :$ It remains to show that $> \frac{3}{4}$. For computational purposes, let $n_1 = n + d + 1$ and $n_2 = n + 1$ with n = 1. Note that $n_1 = n_2$ is equivalent to d = 0. Consider the case with $= \frac{3}{4}$. We have

$$u(n_{2};) = \frac{1}{(n+1)^{2}} \frac{n+1}{(n+d+1)+(n+1)} \prod_{n=1}^{n-1} \frac{1}{n+1} \frac{n+d+1}{(n+d+1)+(n+1)_{\mu}}$$

$$= \frac{1}{(n+1)^{2}} \frac{n+1}{(n+d+1)+(n+1)} \frac{(n+d+1)+(n+1)}{(n+d+1)+(n+1)} \frac{\frac{n+d+1}{n+1}}{(n+d+1)+(n+1)}$$

$$= \frac{1}{(n+1)^{3}} \frac{n+1}{2n+d+2} n + \frac{n+1}{2n+d+2}$$

$$> \frac{1}{(n+1)^{3}} \frac{(n+d+1)^{t}}{(n+d+1)^{t}+(n+1)^{t}} n + \frac{(n+d+1)^{t}}{2(n+1)^{t}}$$

$$= \frac{1}{(n+1)^{3}} P_{0}(t) n + \frac{(n+d+1)^{t}}{2(n+1)^{t}}; \qquad (4)$$

Now, case (ii). This case is more cumbersome, since a player can spin o from both alliances. We need to consider two possible spin-o subcases $\frac{u(n+1,f_{n+1,ng})}{u(1,f_{n,n,1g})}$ 1 and $\frac{u(n,f_{n+1,ng})}{u(1,f_{n+1,n},1,g)}$ 1.

$$u(n; fn; n+1g) = \frac{1}{n^2} - 1 = \frac{1}{\frac{1}{n^t} + \frac{1}{(n+1)^t}}$$

with Case 1. The payo from fn; ng is $\frac{1}{n^2} \frac{1}{2} = 1 = \frac{2n}{4n}$, and the one from f2ng is $\frac{1}{2n}$

Second, we check u(n + 1;). We have

Second, we check
$$u(n + 1; \cdot)$$
. We have

$$u(n + 1; \cdot) = \frac{1}{(n + 1)^2} \begin{bmatrix} 1 & \frac{(n + 1)^{\frac{2}{3}}}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \end{bmatrix}^{\#''} = \frac{1}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \begin{bmatrix} \frac{(n + 1)^{\frac{1}{2}}}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \end{bmatrix}^{\#''} = \frac{1}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \begin{bmatrix} \frac{n^{\frac{2}{3}}}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \end{bmatrix}^{\#''} = \frac{1}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \begin{bmatrix} \frac{n^{\frac{2}{3}}}{n^{\frac{2}{3}} + (n + 1)^{\frac{2}{3}}} \end{bmatrix}^{\#''}$$

Since u(n + 1;) is increasing in for <u>2</u>

$$\frac{@u(_J)}{@J} = \frac{1}{N^3} (N - 2J + 1):$$

Therefore, $\frac{\partial u(\pi_J)}{\partial J} > 0$ holds for all $J = \frac{N+1}{2}$. Also, notice that a group of N players can sustain at most $\frac{N}{2}$ alliances. Therefore, a symmetric structure with more alliances Pareto-dominates one with less.

Proof of Proposition 4. From Theorem 1, we know that the payo of a player who is one of n_j is

$$u(n_{j};) = \frac{1}{n_{j}^{2}} 41 \quad (J = 1) \frac{n_{j}^{\frac{2}{3}}}{\Pr_{j^{\theta}=1}^{J} n_{j^{\theta}}^{\frac{2}{3}}} 541 \quad (J = 1) \frac{n_{j}^{\frac{1}{2}}}{\Pr_{j^{\theta}=1}^{J} n_{j^{\theta}}^{\frac{2}{3}}} 541$$

Let $\int_{n_j}^{\theta} f_{n_j}$ stand for the structure after one player in alliance j spins o to form a singleton alliance. This player has a payo equal to

$$u(1; \ _{n_{j}}^{\theta}) = 41 \quad J \frac{1}{\Pr_{j^{\theta}=1, j^{\theta} \neq j} n_{j^{\theta}}^{\frac{2}{3}} + (n_{j} - 1)^{\frac{2}{3}} + 1} 5$$

Since $\frac{1}{1 \sigma} = 0$, $n_j^{\frac{2}{1}} = (n_j - 1)^{\frac{2}{1}} = 1$ and $n_j^{\frac{1}{2}} = 1$ and $n_j^{\frac{1}{2}} = 1$ hold for all $n_j = 2$. Since $n_j^{\frac{2}{3}}$ is a convex function for $2[0, \frac{1}{2}] (\frac{2}{1 \sigma} 2[1, 2])$, we have

$$\sum_{j^{\ell}=1, j^{\ell} \notin j} n_{j^{\ell}}^{\frac{2-3}{1}} + (n_{j} \quad 1)^{\frac{2-3}{1}} + 1 \qquad \sum_{j^{\ell}=1} n_{j^{\ell}}^{\frac{2-3}{1}} :$$

This implies

$$\frac{\mathsf{P}_{J_{j^{0}=1,j^{0}\notin j}n_{j^{0}}^{\frac{2-3}{1}} + (n_{j} \quad 1)^{\frac{2-3}{1}} + 1}{J} < \frac{\mathsf{P}_{J_{j^{0}=1}n_{j^{0}}^{\frac{2-3}{1}}}{J^{1}}.$$

Thus, we have

$$u(1; \frac{\theta}{n_{j}}) > 41 \quad (J = 1) \frac{1}{\Pr_{j^{\theta}=1}^{J} n_{j^{\theta}}^{\frac{2}{1}}} 541 \quad (J = 1) \frac{1}{\Pr_{j^{\theta}=1}^{J} n_{j^{\theta}}^{\frac{2}{1}}} 5:$$

We want to show the RHS that the above inequality is not exceeded by u_j for any $2 [0, \frac{1}{2}]$. Note that $\frac{2}{1} \frac{3\sigma}{\sigma} = 1$ and $\frac{1}{1} \frac{2\sigma}{\sigma} = 0$ for any

changing from $(n_1; n_2)$ to $(n_1 + \dots; n_2)$. We have

$$\frac{du_{1}}{d} = \frac{1}{n_{1}^{\delta+1}} \left[1 \quad \frac{(J-1)n_{1}^{\delta}}{D} \right]^{\frac{\sigma}{1}} \left[\frac{(J-$$

1



Evaluating at $n_1 = n_2 = n_j = n$ and $D = Jn^{\delta}$ $\overline{1}$, we obtain,

$$\frac{du_{1}}{d} = \frac{1}{n^{\delta+1}} 1 \frac{(J-1)n^{\delta}}{Jn^{\delta}} \frac{1}{r} \frac{(J-1)n^{\delta}}{3} \frac{1}{r} \frac{(J-1)n^{\delta}}{3} \frac{1}{r}}{1} \frac{(J-1)n^{\delta}}{2} \frac{1}{r} \frac{1}{n^{\delta}} \frac{(J-1)^{2}}{n^{\delta}} \frac{1}{r} \frac{\sigma}{1-\sigma} \frac{n^{2\delta-2}r}{1-\sigma} \frac{1}{5} 1 \frac{(J-1)n^{\delta}}{Jn^{\delta}} \frac{1}{r}}{1-\sigma} \frac{\sigma}{1-\sigma} \frac{1}{5} \frac{1}{1-\sigma} \frac{1}{n^{\delta}} \frac{1}{r} \frac{(J-1)n^{\delta}}{1-\sigma} \frac{1}{1-\sigma} \frac{\sigma}{1-\sigma} \frac{1}{5} \frac{1}{1-\sigma} \frac{1}$$

Notice that, if n is large, the second term in the last equation is close to 0. Therefore, when n is large, players have no incentive to move to another alliance unilaterally if

$$\frac{du_1}{d} < 0$$
 () $< (J - 1)$ $\frac{1}{1}$

Rearranging the last inequality yields the No Symmetry Breaking condition in Proposition 5.

Now, we turn to the No Spin-O condition. The payo from a symm structure is simply written as

$$u(n) = \frac{1}{n^{\delta}} \frac{1}{J} + \frac{1}{nJ} + \frac{1}{nJ}$$

In contrast, the payo of a player who spun o from a symmetric allia is more subtle, and we need to consider two cases. We start with th $\frac{\sigma}{1 \sigma} < 0$. Let = $\frac{\sigma}{1 \sigma}$ If a player spins o, then there are J but we have

$$1 + (J \quad 1) \frac{1}{n^{\epsilon}} + J \quad \frac{87 J/F}{n^{\epsilon}} \quad d \quad 122$$

ure iere ces, . *18 5 38 Td [(d*

nce