

January, 2008

for
United States Geological Survey
905 Nati

Run Hyp2000: Phase Fi

*****U"5"446;"":02:""8;064""92044"/20:7"2022*****

Twp"J{r4222<"Rjcuq"Hkng<"l8;0Z_"Xgn"Oqf<"l4_???"ZZ/Hkng<"8;0ZZ"
"J[RQKFXGTUG"4222"*3214228"XGTUKQP+"TWP"QP"Oqp"Pqx"34"35<73<34"4229""""TWP"NCDGN?"

~~*****FCV*****QTKIKP*****NCV*****NQPI"Y*****FGRVJ*****OP"OE"ON"ICR*****TOU"GTJ"GT\"S"~~
42933222018 0001



Figure 2: Map of strong-motion stations of the New England Seismic Network (NESN) in operation during the period of this report.

[Return to Table of Contents](#)

NESN Quarterly Seismicity Map




Figure 3: Earthquake epicenters located by the NESN during the period of this report.

[Return to Table of Contents](#)

NESN Cumulative



Figure 4: Seismicity for period October, 1975 - December, 2007.

[Return to Table of Contents](#)

Acknowledgments

Our map database has been developed in-house using ArcView and in part basemap data provided by ESRI, Inc., USGS GTOPO30 Elevation Data, and TIGER/Line '94, '95, and '97 (US Census Bureau) spatial data.

References

Chaplin, M.P., Taylor, S.R., and Toksöz, M.N. (1980), A coda length E M

I dXUhYX. 's| `m% ž &\$%%
A U]bhU]bYX`Vm `K Yghcb`CVgYfj Uhcfm

[5VWqg\[V\]Tm\]p`7cbhUW\]p: YYXVUW`](#)
¥ `&\$%+ `H\Y`Hfi ghYYg`cZ 6cghcb`7c`Y[Y" [@Y\[U](#)